


WILD GOOSE FUSION™

COUNTER
PRESSURE +
ATMOSPHERIC
CANNING
SYSTEM



CANNING  BOTTLING
WILD GOOSE
FILLING

INTRODUCING
FUSION
2022

WILD GOOSE FUSION™

COUNTER PRESSURE + ATMOSPHERIC CANNING SYSTEM




The only canning system that offers counter pressure and atmospheric filling.

The next generation of counter pressure canning.

The Wild Goose Fusion™ Counter Pressure + Atmospheric Canning System provides professional, fully automated packaging across a wide range of product types and conditions to protect your canned craft beverages.

Along with patent-pending counter pressure and atmospheric dual filling technology, plus an ergonomic frame and sleek design, the Wild Goose Fusion system incorporates the latest in digital controls and user interface innovations to give you precise command over every machine operation.

Whether you are canning a high carbonation seltzer, a still wine, or anything in between, the Wild Goose Fusion system handles it.



EXPAND UP TO
40 CANS
PER MINUTE



**MULTIPLE
CAN SIZES**

Package a broad variety of product types in multiple can heights, body diameters or lids to expand your beverage portfolio.

Wild Goose's engineering expertise makes it an easy "QuickChange" between can and lid formats while maintaining your fill and seam integrity.

**PRODUCT CONDITION
FLEXIBILITY**

Accommodate higher product carbonation levels, pressures and temperatures.

**GROW WHEN
YOU'RE READY**

Just like the Evolution Series™ canning systems Wild Goose pioneered in 2017, our Fusion Counter Pressure Canning System can evolve with you. Expand from 2 to 4 to 6 fill heads on the same machine footprint to boost speed and meet your growing production scale.

Enjoy that fizzy 'pop' every time you crack open a can!

- SELTZER
- BEER
- STILL & SPARKLING WINE
- READY-TO-DRINK COCKTAILS
- KOMBUCHA
- SODA
- CANNABIS DRINKS
- AND MORE



**Counter Pressure + Atmospheric
Canning Technology by Wild Goose**

Our Wild Goose Fusion system design uses patent-pending counter pressure filling technologies developed by Wild Goose, delivering **accurate, repeatable fills across beverage types, styles and conditions.**

The Wild Goose Fusion combines the best of our pioneering fast-pour innovations with the versatile bandwidth of pressurized filling. Get unmatched canning performance, with counter pressure for your carbonation and temperature challenges or atmospheric filling for speed.



Innovating a New Era of Counter Pressure

Wild Goose's Fusion Counter Pressure system technology does not require a pressure bowl or drum found on conventional counter pressure machines.

This revolutionary design upholds your packaging quality while giving you a light-weight, agile canning system with:

- Fast fill cycles
- Low dissolved oxygen
- Safe operation
- Minimal cleaning time
- Low operating costs

Beverage Quality Control

If your product pressure changes, the system monitors and adapts in real time, controlling product breakout and preserving your fill volume.

United with Wild Goose's proven seaming technology, the Wild Goose Fusion keeps carbonation in and dissolved oxygen out, protecting the integrity and shelf life of your beverage.



Elevating the User Experience

State-of-the-art software provides the backbone for Wild Goose's newest operating system, delivering sophisticated fine-tuned performance.

A streamlined user interface with digital touch screen and high-resolution display makes system control intuitive and user-friendly.

Future software upgrades and new features can be added to your existing system remotely via internet, giving you immediate access to Wild Goose's next-gen advancements.



TECHNICAL SPECIFICATIONS

Product Types: Full range of still and sparkling beverages

Speed Up To:
Based on 12 oz (355 mL) can at optimal product conditions

2-Head Filler	4-Head Filler	6-Head Filler
15 cans/min	30 cans/min	40 cans/min
900 cans/hr	1800 cans/hr	2400 cans/hr
37.5 cases/hr	75.0 cases/hr	100 cases/hr
2.7 bbl/hr	5.4 bbl/hr	7.3 bbl/hr
84.4 gal/hr	168.7 gal/hr	225 gal/hr
3.2 hL/hr	6.4 hL/hr	8.5 hL/hr
0.32 m³/hr	0.64 m³/hr	0.85 m³/hr
319.3 L/hr	638.7 L/hr	851.6 L/hr

Configurations: Standard, Mobile, CE-Certified

System Utilities:

- Power:** Single-phase 30A @230VAC, 60 Hz
- Air:** Clean, dry compressed air required at 90-100 PSI, 12.2 CFM
- CO₂:** Required at 20-30 PSI dependent on add-on options

Can Size: Range of standard and sleek can sizes, including 211 and 204 bodies up to 19.2 oz

Dimensions:
88" (224 cm) L x 38" (97 cm) W x 116" (295 cm) H
81" (205 cm) H when lid tube removed

Deck Height: 40" (101.5 cm) with casters; adjustable 38"-42" (96.5 cm - 106.5 cm)

Weight: Up to 1,200 lb (544 kg)


- Options:**
- Flow Meters
 - QuickChange System™ for Lid Changes
 - Rinse Tunnel & Air Nozzles
 - Inlet Pressure & Temperature Monitors
 - Liquid Nitrogen Dosing
 - Accumulation Pack-Out Conveyor
 - Manual Whale Tail Infeed Tray
 - Blue Lift for Depalletization
 - Spare Parts Kit



2-YEAR WILD GOOSE WARRANTY

We offer Wild Goose Financing. Contact us to learn more about your options.

Is the Wild Goose Fusion™ Right for You?



Wild Goose applied advanced digital fluid dynamics modeling techniques to engineer an all-purpose counter pressure + atmospheric filling system with unparalleled versatility.

Ready to handle your beverage challenges, Wild Goose's patent-pending filling technology is the right solution for your diverse craft needs:

You want to can a wide variety of beverage types on the same canning system

Your drinks have varying product conditions, like carbonation levels, pressures, or temperatures

Your facility does not have the ability to regulate elevated product pressures or temperatures



Start your packaging day with an RTD, then can up your latest beer in the afternoon



Package a range of low, mid, and high carbonated beverages



Accommodate higher brite tank pressures or temperatures coming into the canning line

Wild Goose offers the broadest range of craft filling systems in the industry.

Whether a Meheen™ bottling system, entry-level Gosling™, workhorse Evolution Series™ system, ultra-fast WG10 line, or – now – our versatile Wild Goose Fusion™ Counter Pressure + Atmospheric Canning System, we have the right filling system for you.

Wild Goose Filling

633 CTC Boulevard, Suite 100
Louisville, Colorado 80027 USA
P: +1 720.406.7442

European Offices

Sales, Service & Support

- Alkmaar, The Netherlands
- Barcelona, Spain
- Trento, Italy
- Budapest, Hungary

www.WildGooseFilling.com

PROUDLY MANUFACTURED IN COLORADO. LOCAL SERVICE WORLDWIDE.